

IOLAN DG1/DG1 TX/SDG1/SDG1 TX Hardware Installation Guide



Updated: Jan. 2023 Version A.1.01.20.2023 Document Part#:5500418-10 (Rev E)

www.perle.com

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS GUIDE ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS GUIDE ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio-frequency energy and, if not installed and used in accordance with this hardware guide may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case users will be required to correct the interference at their own expense.

Modifications to this product not authorized by Perle could void the FCC approval and negate your authority to operate the product.

Perle reserves the right to make changes without further notice, to any products to improve reliability, function, or design.

Perle, the Perle logo, and IOLAN DG1/DG1 TX/SDG1/SDG1 TX are trademarks of Perle Systems Limited.

©2023. Perle Systems Limited.



Table of Contents

Hardware	2
Preface	2
Overview	
IOLAN DG1/DG1 TX/SDG1/SDG1 TX (Top View)	
IOLAN DG1/SDG1 (Side View with Barrel connector)	4
IOLAN DG1 TX/SDG1 TX (Side View with Terminal Block Connector)	4
Ethernet and Serial Ports	4
Button/Switch Functions	4
LED Indicators	6
Installation	7
Connecting the Power	
Connecting the Serial Port	
Connecting Data Ports	9
Operation	11
Rebooting the IOLAN	
Resetting the IOLAN to Factory Default Configuration	
Configuring the IOLAN	
Appendix A - Technical Specifications	
Appendix B - Mechanical Drawing	14
Appendix C - Labels (Sample)	
Appendix D - Cabling and Connectors	
Appendix E - IOLAN Maintenance	
Contacting Perle Systems Limited	

Hardware

Preface

Audience

This guide is for the network or computer technician responsible for installing the Perle IOLAN DG1/DG1 TX/SDG1/SDG1 TX. Familiarity with the concepts and terminology of Ethernet and local area networks is required.

Purpose

This document describes the hardware and physical characteristics of the Perle IOLAN DG1/DG1 TX/SDG1/SDG1 TX. It covers hardware features as well as installation and operation of the IOLAN. This document does not cover how to configure your Perle IOLAN SDG1 or DG1 units.

Information to configure your Perle IOLAN DG1/DG1 TX/SDG1/SDG1 TX can be found in the IOLAN User's Guide.

Document Conventions

This document contains the following conventions:

Most text is presented in the typeface used in this paragraph. Other typefaces are used to help you identify certain types of information. The other typefaces are:

Note: Means reader take note: notes contain helpful suggestions.

Caution: Means reader be careful. In this situation, you might perform an action that could result in equipment damage or loss of data.

Warning: IMPORTANT SAFETY INSTRUCTIONS

Means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents. Only qualified personnel should connect power to this unit.

⚠

Warning - more information is contained within this guide

Warning-equipment rated above 40°C. Equipment may be very hot.

Overview

The IOLAN one port units come in various models.

Basic Feature Set Models


- DG1 RJ45 RJ45 serial port.
- DG1 DB9 DB9M serial port
- DG1 DB25 -DB25F serial port
- DG1 TX Extended Temperature model with a DB9M serial port

Secure Feature Set Models


- SDG1 RJ45 RJ45 serial port.
- SDG1 DB9 DB9M serial port
- SDG1 DB25 DB25F serial port
- SDG1 TX Extended Temperature model with a DB9M serial port

NOTE: Extended Temperature models can operate in the range of -40 to 74 degrees C.


IOLAN DG1/DG1 TX/SDG1/SDG1 TX (Top View)



IOLAN DG1/SDG1 (Side View with Barrel connector)



IOLAN DG1 TX/SDG1 TX (Side View with Terminal Block Connector)



Ethernet and Serial Ports

Connector

Ethernet 10/100/1000Base-T Port

The Ethernet port provides the standard Gigabit Ethernet interface speeds of 10/100/ 1000 Mbps through twisted pair (UTP) cables of up to 100 meters (328ft) in length.

Console / Serial Port

The serial/console port comes in three different flavors depending on the model purchased namely;

- RJ45
- DB9M
- DB25F

When used to connect a serial device, the port can operate in EIA-232, EIA-422 or EIA-485 mode. When used to connect a console, the port can be used to fully configure and manage the IOLAN. For details on how to connect to the serial port see *Connecting the Serial Port*

For the pin-out information for your model see "Appendix D - Cabling and Connectors"

Button/Switch Functions

Reset Button

The inset "Reset" button will reboot the IOLAN if pushed in and released quickly. It will reset the IOLAN to factory defaults if pushed in and held for more than three seconds. For more details on the operation of the Reset button see "*Rebooting the IOLAN*"

Console / Serial DIP Switch

The port can act as a console port or a serial port. The mode of operation is determined by the position of the "console/serial port" DIP switch. The DIP is set in the factory to

serial (up position). Unless you plan to attach a console to the IOLAN, leave the DIP switch in the serial position. In console mode, this port can be used to provide access to the IOLAN management function using the industry standard CLI command set (see *Console Port Mode*).

See the IOLAN Command Line Interface Reference Guide for a complete set of the commands available via the console.

LED Indicators

Power/Ready

State	Description
Green - solid	System Ready
Green - flashing	System is booting or DIP switch is in console mode
Red	Error condition

Link 10/100/1000

State	Description
Green	1000 Mbps
Amber	100 /10 Mbps
Off	No LAN connection

Activity

State	Description
Green	Flashes with activity
Amber	Flashes with activity
Off	No LAN connection

Installation

General Cautions and Warnings

Warning: Power sources must be off prior to beginning the power connection steps. Read the installation instructions before you connect the unit to its power source.

Warning: Ensure that the voltage and current ratings of the intended power source are appropriate for the IOLAN as indicated on the product label.

Warning: Ensure that the installation and electrical wiring of the equipment is performed by trained and qualified personnel and that the installation complies with all local and national electrical codes.

Warning: The working voltage inputs are designed for operation with Safety extra low Voltage (SELV). Connect only to SELV circuits with voltage restrictions in line with IEC/EN 60950-1:2005 (2nd Edition) + A1:2009 and EN 60950-1: 2006 + A11:2009

Warning: If this equipment is used in a manner not specified by the manufacturer, the protection provided by the equipment may be impaired.


Connecting the Power

The DG1/SDG1 model connects to power using the barrel connector power adapter that came with your IOLAN. If you have an Extended Temperature (TX) model, it comes with a terminal block connector. The Terminal Block cannot be removed from the IOLAN. Use the instructions below to connect to power.

Connecting the barrel connector

Plug the power adapter into a power socket and connect the barrel connector end into the IOLAN. The IOLAN will perform a power up sequence. The Power/Ready LED should show a solid green. See *LED Indicators* for power up sequence.

Connecting the terminal block connector



- 1. Ensure power is NOT applied to the wires prior to connection.
- 2. On each end wire (16-20 AWG), remove the insulation from the copper wire 5 mm (3/ 16 of an inch).
- 3. Loosen the left screw on the top of the terminal connector block, then insert your positive (+) wire into the left terminal and screw it down tight (.51Nm torque).

Loosen the right screw on the top of the terminal connector block, then insert your negative (-) wire into the right terminal and screw it down tight (.51Nm torque).

4. Turn on power at source. See *LED Indicators* for power up sequence.

Grounding and Power Cord Relief clip


If your installation requires additional grounding, follow this procedure. Grounding the chassis requires the following items:

- One grounding lug (not provided)
- One 12AWG wire (not provided)

Follow the manufacturers instructions for attaching the ground wire to the grounding lug.

- 1. Attach the grounding lug to the chassis and secure with the grounding screw provided. See Figure 1.
- 2. Attach the power cord relief clip as shown in Figure 2.

Grounding Screw



Connecting the Serial Port

The Serial port is normally used to connect a serial device. The serial port can also be used as a console to fully configure and manage the IOLAN.

Depending on the model, the serial port will be a DB9M connector, a RJ45 connector or a DB25F connector. See *Appendix D* - *Cabling and Connectors* for information on cabling requirements.

Console Port Mode

- 1. Power off the IOLAN.
- 2. Set the "console/serial DIP switch" to the console (down) position.
- 3. Connect the power and allow the IOLAN to complete the boot up sequence.
- 4. If your IOLAN model has a DB9 or DB25 serial port, connect a cable directly from your IOLAN to the COM port of your PC.
- 5. If your IOLAN has an RJ-45 serial port, connect an 8 pin cable between the IOLAN serial port and the RJ-45 to DB-9 converter shipped with your IOLAN. Connect the DB-9 end of the converter to the COM port of your PC.

- 6. Choose Start > Control Panel > Systems or equivalent on the WindowsOperating System you are using.
- 7. Click the Hardware tab and choose Device Manager, Expand the Ports (COM & LPT) section. This will expand the drop down to show the number of com ports on your system. Connect the cable to one of these ports (probably COM1 or COM2).
- 8. Start an terminal-emulation program (such as Putty or SecureCRT) on the COM port where you have connected the cable PC.
- 9. Configure this COM port within the terminal emulation program with the following parameters:
 - 9600 baud
 - 8 data bits
 - 1 stop bit
 - No parity
 - None (flow control)

10. You should now be able to see all messages sent to the console of the IOLAN.

Serial Port Mode

Serial mode is used when the IOLAN acts as a communication sever to provide access to the serial device which is connected to its serial port. For the different methods which can be used to connect to the serial device see the IOLAN User's Guide. When the serial port is in this mode, all console mode functions are disabled on the port.

To set the serial port in this mode, ensure that the "console/serial DIP switch" is in the serial (up) position.

Connecting Data Ports


Ethernet Connection


By default the 10/100/1000 Ethernet port will automatically set itself up to match the speed of the port it is connected to. If auto negotiation is not supported by that port then, the port can be configured to operate at a fixed speed and duplex settings.

To connect to 10Base-T, 100Base-TX or 1000Base-T follow these steps:

- 1. Connect a straight through Ethernet cable from the IOLAN's Ethernet port to an 10/ 100/1000 RJ45 port on the network hub/switch.
- 2. Once the IOLAN is connected and the link is established, the link LEDs will turn on. These LEDs will indicate whether you have a 10, 100 or 1000 Mbps link to your hub/ switch. See. (*LED Indicators*) for more details.

Ethernet Connector - 8-pin RJ-45





MDI Port Pinouts

Pin Signal 1 Tx+ 2 Tx 3 Rx+ 6 Rx


MDI-X Port Pinouts

Pin	Signal
1	Rx+
2	Rx-
3	Tx+
6	Tx-

Operation

Rebooting the IOLAN

To reset the IOLAN insert a paper clip into the "Reset" hole, then gently press inwards. If the button is released quickly the IOLAN will reboot, if the button is pressed for more then three seconds the IOLAN will be returned to factory defaults.



Resetting the IOLAN to Factory Default Configuration

To reset the configuration of the IOLAN, insert a paper clip into the inset hole labelled as "Reset" and hold the reset button between 3 and 10 seconds, the IOLAN will reset the configuration to factory default (either the Perle or custom default configuration). If you hold the reset button greater than 10 seconds, then the IOLAN will reset the configuration to the Perle factory default configuration.

Configuring the IOLAN

The IOLAN can be configured, operated and monitored using any of the following methods. See the IOLAN User's Guide for more details.

CLI

A text-based Command Line Interface based on industry standard syntax and structure. The CLI can be accessed from the console port without a valid IP address for the initial setup. Once an IP address has been assigned the IOLAN can also be accessed by Telnet, SSH, SNMP or the Web interface.

Web Manager

The Perle Web Manager is an embedded Web based application that provides an easy to use browser interface for configuring and managing the IOLAN. Once an IP address has been assigned/configured on IOLAN, it can be accessed through any standard desktop web browser.

Device Manager

This Windows based utility provides the ability to do either an initial setup (out of the box) or to configure and manage the IOLAN. In order to use this utility the IOLAN must be connected to your network. You can download the Device Manager software from our website at *www.perle.com*.


For more information on configuring your IOLAN, see the IOLAN User's Guide.


Appendix A - Technical Specifications


IOLAN DG1/DG1 TX/SDG1/SDG1 TX Port Technical Specifications

Nominal Input Voltage	12/24VDC (9-30VDC)	
Power Supply Options	Power via external power 9-30v DC (DG1/SDG1) Terminal block connector (DG1 TX/SDG1 TX)	
Power Consumption@24V DC (Watts)	2 Watts	
Power IOLAN over Serial	9-30VDC with DB25F and RJ45 model	
Operating Temperature	-0°C to 55°C	
	-32°F to 131°F	
Operating Temperature - Extended	-40°C to 74°C	
Temperature (TX models)	-40°F to 165°F	
Storage Temperature	-40°C to 66°C	
	-40°F to 150°F	
Operating and Storage Humidity	5 to 95% (non condensing)	
Regulatory Approvals		
Emissions		
	CFR47 FCC Part 15 Subpart B:2016	
	ICES-003:2016	
	EN550032:2015 (CISPR32:2015)	
Immunity		
	EN61000-4-2:2009	
	EN61000-4-3:2006/A2:2010: RF Electromagnetic Field Modulated	
	EN61000-4-4:2004 Fast Transients	
	EN61000-4-5:2006 Surge	
	EN61000-4-6:2009 RF Continuous Conducted	
	EN61000-4-8:2010 Power-Frequency Magnetic Field	
	EN61000-4-11:2004 Voltage Dips and Voltage Interruptions	
	EN61000-3-2:2014, Limits for Harmonic Current Emissions	
	EN61000-3-3:2013, Limits of Voltage Fluctuations and Flicker	
	EN55024:2010/CISPR24:2010	
Safety		
	IEC 62368-1:2014 (second edition)	
	EN 62368-1:2014	
	CSA/UL 62368-1:2014	

Appendix B - Mechanical Drawing







Appendix C - Labels (Sample)




Appendix D - Cabling and Connectors

This appendix provides pinouts for the serial DB25F, DB9M, RJ45 port and the Ethernet cable.

Connecting Serial Devices

Please refer to the pin-out table for your model, and ensure you have the appropriate cable for connecting your serial device to the serial port on the IOLAN.

IOLAN DB25 Female Connector




Pinout	EIA-232	EIA-422	EIA-485 Full Duplex	EIA-485 Half Duplex
1	Shield	Shield	Shield	Shield
2 (in)	RxD			
3 (out)	TxD			
4 (in)	CTS			
5 (out)	RTS			
6 (out)	DTR			
7	GND	GND	GND	GND
8 (in)	DCD			
9	Power out	Power out	Power out	Power out
12	Power in	Power in	Power in	Power in
13		RTS-		
14		RxD+	RxD+	
15		RxD-	RxD-	
18		CTS+		
19		CTS-		
20 (in)	DSR			
21		TxD+	TxD+	DATA+
22		TxD-	TxD-	DATA-
25		RTS+		

The Power In pin, pin 12 can be 9-30V DC.


The Power Out pin, pin 9, is only available on SDG models.

IOLAN DB9 Male Connector



Pinout	EIA-232	EIA-422/485 Full Duplex	EIA-485 Half Duplex
1 (in)	DCD		
2 (in)	RxD	RxD+	
3 (out)	TxD	TxD+	DATA+
4 (out)	DTR		
5	GND	GND	GND
6 (in)	DSR	RxD-	
7 (out)	RTS		
8 (in)	CTS		
9		TxD-	DATA -

IOLAN RJ45 Connector



Pinput	Pinout			EIA-485	EIA-485
10-Pin	8-Pin	EIA-232	EIA-422	Full Duplex	Half Duplex
1		Power In	Power In	Power In	Power In
2 (in)	1 (in)	DCD			
3 (out)	2 (out)	RTS	TxD+	TxD+	TxD+/RxD+
4 (in)	3 (in)	DSR			
5 (out)	4 (out)	TxD	TxD-	TxD-	TxD-/RxD-
6 (in)	5 (in)	RxD	RxD+	RxD+	
7	6	GND	GND	GND	GND
8 (in)	7 (in)	CTS	RxD-	RxD-	
9 (out)	8 (out)	DTR			
10		Power Out	Power Out	Power Out	Power Out


The Power In pin, pin 1 can be 9-30V DC. The Power Out pin, pin 10, is only available on SDG models.

Hardware Options

The IOLAN contains jumpers that you might need to set before you configure it and put it into production. You can set the Power Out pin, pin 10 to a fixed 5V DC output or to the external adapter output; this can range from 9-30V DC (if an external adapter is shipped with the IOLAN, it has a 12V DC output); maximum output power is 1 (one) watt per serial port. The Power Out pin is only supported on the SDG1/SDG1 TX model The serial port can also operate in either EIA 232, 422 or 485 mode. This is a software configuration (See the IOLAN User's Guide for information on setting this parameter). If EIA 422 or 485 is selected, the line termination may need to be set. Termination is not necessary unless the IOLAN's are the end points.

To change the hardware settings, do the following:

- 1. Unplug the IOLAN from the electrical outlet and disconnect everything from the unit.
- 2. Open the case by unscrewing the two side screws, one on each side, and lifting off the top of the case.



3. To change the Power Pin out, locate P3. For the fixed 5V DC output, jumper pins 1 and 2. For the output to equal the external adapter input, jumper pins 2 and 3.

- 4. To terminate Serial Port 1 for Full Duplex set DIP switch 1 ON. To terminate for Half Duplex set DIP switch 2 to ON.
- 5. Close the IOLAN case by replacing the case lid and the two screws. You can now power the IOLAN with the new settings.

Appendix E - IOLAN Maintenance

- Ensure there is clearance of 50.8mm (2 inches) on all sides of the IOLAN to provide proper airflow through the unit
- Do not use solvents or cleaning agents on this unit
- Keep vent holes clear of debris
- If case gets dirty wipe with a dry cloth
- Ensure all cables are in good working condition and replace any frayed cables or cables without clips

Contacting Perle Systems Limited

Contacting Technical Support

Contact information for the Perle Technical Assistance Center (PTAC) can be found at the link below.

 $https://www.perle.com/support_services/support_request.shtm$

Warranty / Registration

This product is covered by the Perle IOLAN SDG Warranty. Details can be found at: https://www.perle.com/support_services/warranty.shtml